



LDT 1414

SPECIFICATIONS

DESCRIPTION
MODEL - LDT 1414
GVWR - 14,000 lbs.
Over All Length - approx. 20 ft.
Over All Width - 102 in.
Empty Weight - 4,500 lbs. (Approximate)
RUNNING GEAR
Straight Axle - 7,000 lbs.
Brakes - Electric
Single Tires - 4) ST235/80R16 Load Range (E)
Wheels - 16 x 6 8 Bolt Silver mod
FRAME
Main Frame - 6 in. Channel
Cross Members - 6 in. Channel
Tongue - 4 x 6 in. Rectangular tube
Fenders - 10 in. Channel
BOX
Size - 14' Long X 80" Wide X 36" Tall
Sides - 10 G.A. Formed Steel
Cross Members - 2" Channel
RAMPS
Size - 5 ft. Long
Material - Aluminum
ELECTRICAL
Plug - 7 RV molded plug
Wiring - Enclosed in conduit w/ junction boxes - connections soldered & shrink wrapped
Lights - Standard LED package
SAFETY
Chains - Rated to match
Break Away - Battery, battery box, and switch
Decals - Warning decals & reflective tape
ACCESSORIES
Jack - 12K Side wind drop leg
Storage Box - 14 G.A. steel
FINISH
PPG Paint - Industrial urethane- White, Black, Orange, Yel.

HYDRAULICS
Hoist - 520 Scissor Hoist Kit
Pump - 2 Button Electric Over Hydraulic Pump
Hoist Frame - 4 x 6 in. Rectangular tube
Fluid - Dexron III / Mercon A.T.F.
ADDITIONAL OPTIONS
Tiedowns - 5/8" D-Rings
Charging System - In Line 2 Amp Charger





LDT 1416

SPECIFICATIONS

DESCRIPTION

MODEL - LDT 1416

GVWR - 16,000 lbs.

Over All Length - approx. 20 ft.

Over All Width - 102 in.

Empty Weight - 4,500 lbs. (Approximate)

RUNNING GEAR

Straight Axle - 8,000 lbs.

Brakes - Electric

Single Tires - 4) ST215/75R17.5 Load Range (H)

Wheels - 17.5 x 6.75 8 Bolt White mod

FRAME

Main Frame - 6 in. Channel

Cross Members - 6 in. Channel

Tongue - 4 x 6 in. Rectangular tube

Fenders - 10 in. Channel

BOX

Size - 14' Long X 80" Wide X 36" Tall

Sides - 10 G.A. Formed Steel

Cross Members - 2" Channel

RAMPS

Size - 5 ft. Long

Material - Aluminum

ELECTRICAL

Plug - 7 RV molded plug

Wiring - Enclosed in conduit w/ junction boxes
- connections soldered & shrink wrapped

Lights - Standard LED package

SAFETY

Chains - Rated to match

Break Away - Battery, battery box, and switch

Decals - Warning decals & reflective tape

ACCESSORIES

Jack - 12K Side wind drop leg

Storage Box - 14 G.A. steel

FINISH

PPG Paint - Industrial urethane- White, Black, Orange, Yel.

HYDRAULICS

Hoist - 520 Scissor Hoist Kit

Pump - 2 Button Electric Over Hydraulic Pump

Hoist Frame - 4 x 6 in. Rectangular tube

Fluid - Dexron III / Mercon A.T.F.

ADDITIONAL OPTIONS

Tiedowns - 5/8" D-Rings

Charging System - In Line 2 Amp Charger





LDT 1614

SPECIFICATIONS

DESCRIPTION

MODEL - LDT 1614

GVWR - 14,000 lbs.

Over All Length - approx. 22 ft.

Over All Width - 102 in.

Empty Weight - 4,500 lbs. (Approximate)

RUNNING GEAR

Straight Axle - 7,000 lbs.

Brakes - Electric

Single Tires - 4) ST235/80R16 Load Range (E)

Wheels - 16 x 6 8 Bolt Silver mod

FRAME

Main Frame - 6 in. Channel

Cross Members - 6 in. Channel

Tongue - 4 x 6 in. Rectangular tube

Fenders - 10 in. Channel

BOX

Size - 16' Long X 80" Wide X 36" Tall

Sides - 10 G.A. Formed Steel

Cross Members - 2" Channel

RAMPS

Size - 5 ft. Long

Material - Aluminum

ELECTRICAL

Plug - 7 RV molded plug

Wiring - Enclosed in conduit w/ junction boxes
- connections soldered & shrink wrapped

Lights - Standard LED package

SAFETY

Chains - Rated to match

Break Away - Battery, battery box, and switch

Decals - Warning decals & reflective tape

ACCESSORIES

Jack - 12K Side wind drop leg

Storage Box - 14 G.A. steel

FINISH

PPG Paint - Industrial urethane- White, Black, Orange, Yel.

HYDRAULICS

Hoist - 520 Scissor Hoist Kit

Pump - 2 Button Electric Over Hydraulic Pump

Hoist Frame - 4 x 6 in. Rectangular tube

Fluid - Dexron III / Mercon A.T.F.

ADDITIONAL OPTIONS

Tiedowns - 5/8" D-Rings

Charging System - In Line 2 Amp Charger





LDT 1616

SPECIFICATIONS

DESCRIPTION

MODEL - LDT 1616

GVWR - 16,000 lbs.

Over All Length - approx. 22 ft.

Over All Width - 102 in.

Empty Weight - 4,500 lbs. (Approximate)

RUNNING GEAR

Straight Axle - 8,000 lbs.

Brakes - Electric

Single Tires - 4) ST215/75R17.5 Load Range (H)

Wheels - 17.5 x 6.75 8 Bolt White mod

FRAME

Main Frame - 6 in. Channel

Cross Members - 6 in. Channel

Tongue - 4 x 6 in. Rectangular tube

Fenders - 10 in. Channel

BOX

Size - 16' Long X 80" Wide X 36" Tall

Sides - 10 G.A. Formed Steel

Cross Members - 2" Channel

RAMPS

Size - 5 ft. Long

Material - Aluminum

ELECTRICAL

Plug - 7 RV molded plug

Wiring - Enclosed in conduit w/ junction boxes
- connections soldered & shrink wrapped

Lights - Standard LED package

SAFETY

Chains - Rated to match

Break Away - Battery, battery box, and switch

Decals - Warning decals & reflective tape

ACCESSORIES

Jack - 12K Side wind drop leg

Storage Box - 14 G.A. steel

FINISH

PPG Paint - Industrial urethane- White, Black, Orange, Yel.

HYDRAULICS

Hoist - 520 Scissor Hoist Kit

Pump - 2 Button Electric Over Hydraulic Pump

Hoist Frame - 4 x 6 in. Rectangular tube

Fluid - Dexron III / Mercon A.T.F.

ADDITIONAL OPTIONS

Tiedowns - 5/8" D-Rings

Charging System - In Line 2 Amp Charger

